

9th International LS-DYNA[®] Users Conference 2006

Sponsored by
Livermore Software Technology Corporation (LSTC)

Editor
Wayne L. Mindle

June 4-6, 2006
Dearborn, Michigan USA

Livermore Software Technology Corporation
7374 Las Positas Road
Livermore, California 94551

Tel: 925-449-2500
Fax: 925-449-2507
Email: sales@lstc.com
Website: www.lstc.com

Copyright © 2006 Livermore Software Technology Corporation. LS-DYNA[®], LS-OPT[®] and LS-PrePost[®] are registered trademarks of Livermore Software Technology Corporation.

ISBN 0-9778540-1-9

Permission to reproduce any papers contained herein is granted provided that credit is given to LSTC, the author and his/her company. Authors retain their respective copyrights.

Table of Contents

Welcome Remarks	<i>Dr. Wayne L. Mindle, LSTC</i>
Introduction of Keynote Speakers	<i>Dr. John O. Hallquist, LSTC</i>

Keynote Presentations

“Trends in Nonlinear Simulation”

Dr. Ted Belytschko
Walter P. Murphy Professor
Northwestern University

“LS-DYNA at GM – Current & Future”

Mr. James W. Welton
Director
Global CAE Development and Integration
General Motors Corporation

“Virtual Vehicle Development in HMC”

Mr. Kwan-Hum Park
Director
Hyundai Motor Company

“A Constitutive Formulation for Polymers Subjected to High Strain Rates”

Mr. Paul A. Du Bois
Consulting Engineer

Session 1 - Crash/Safety (1)

<i>Abu-Odeh, A.,</i>	Application of New Concrete Model to Roadside Safety Barriers	1-1
<i>Tryland, T.,</i>	Alternative Models of the Offset and Side Impact Deformable Barriers.....	1-9
<i>Walker, B.,</i>	A New Generation of Crash Barrier Models for LS-DYNA	1-17
<i>Gupta, R., Kelkar, A.D.,</i>	Nonlinear Crash Dynamics Simulation of Novel Airbag Based Next Generation Energy Absorbing Barrier	1-19
<i>Sheikh, N.M., Bligh, R.P., Bullard, D.L., Buth, C.E., Alberson, D.C., Abu-Odeh, A.K., Ross, H.E.,</i>	Development of an Energy Absorbing End Terminal for Open Box Beam Guardrail.....	1-39

Session 2 – Penetration/Explosive Modeling

<i>Schwer, L.E., Hacker, K., Poe, K.,</i>	Perforation of Metal Plates: Laboratory Experiments and Numerical Simulations	2-1
---	--	------------

Chen, M.M.,
Structural Design and Analysis of Hit-To-Kill Projectile.....2-13

Fox, D.M.,
**Development, Optimization and Design for Robustness of a Novel FMVSS
 201U Energy Absorber.....2-23**

Raguraman, M., Deb, A.,
**Accurate Prediction of Projectile Residual Velocity for Impact on Single
 and Multi-Layered Steel and Aluminum Plates2-37**

Session 3 – Simulation Technology (1)

Wu, J.,
Advanced Modeling and Drop Simulation With New Features of LS-DYNA.....3-1

Shkolnikov, M.B.,
Thin-Walled Beams Research and Development3-15

Bhargava, A., Roddis, W.M.K., Marzougui, D., Mohan, P.K.,
**Analysis of Extended End-Plate Connections Under Cyclic Loading Using the
 LS-DYNA Implicit Solver3-27**

Han, H., Taheri, F.,
**Comparison of LS-DYNA and NISA in Solving Dynamic Pulse Buckling
 Problems in Laminated Composite Beams3-33**

Song, G.G., Sanghera, R., Yerva, S., Keshtkar, H.,
**CAE Correlation with Test for Door Slam in Nonlinear Dynamic Stress
 and Fatigue Life Analysis3-45**

Ignatkov, V., Klambozki, S., Medvedev, S., Petrushina, M.,
Modal Properties of Turbo-Compressor Elements3-47

Session 4 – Impact Analysis (1)

Shahkarami, A., Vaziri, R.,
**An Efficient Shell Element Based Approach to Modeling the Impact Response
 of Fabrics4-1**

Cheng, J., Binienda, W.K.,
**A Numerical Model for Tri-Axially Braided Composites Under High Velocity
 Soft Projectile Impact4-13**

Zheng, D., Binienda, W.K.,
**Numerical Modeling of Friction Effects on the Ballistic Impact Response of
 Single-Ply Tri-Axial Braided Fabric.....4-29**

Xin, X.,
**A New Way for Multi-piece and Multi-hit Fragment Impact Simulation
 Using LS-DYNA.....4-39**

Deka, L.J., Bartus S.D., Vaidya U.K.,
**Damage Evaluation and Energy Absorption of FRP Plates Subjected to
 Ballistic Impact Using a Numerical Model4-49**

Session 5 – Computing / Code Technology (1)

<i>Makino, M.,</i> The Performance of Large Car Model by MPP Version of LS-DYNA on Fujitsu PrimePower.....	5-1
<i>Dunlap, D., Cieslak, J., Picklo, J.,</i> Using Platform LSF To Harness Non-Dedicated Computational Resources For LS-DYNA Crash Simulations at DaimlerChrysler	5-5
<i>Burke, M., Roh, Y., Fong, H.,</i> LS-DYNA® Performance and Scalability on Sun^(TM) x64 Systems.....	5-13
<i>Lin, Y.Y.,</i> The Advantages of HP-MPI for MPP LS-DYNA	5-17

Session 6 – Crash/Safety (2)

<i>Untaroiu, C., Shin, J., Crandall, J., Crino, S.,</i> Development and Validation of a Headform Impactor Finite Element Model with Application to Vehicle Hood Design for Pedestrian Protection.....	6-1
<i>Hamid, M.S., Shah, M.J., Ridgway, J.R., Riefe, R.K.,</i> Systems Engineering Approach in Development of Delphi Driver Protection Module (DDPM) by Virtual Engineering.....	6-13
<i>Wang, Q., Kapoor, T., Altenhof, W., Howard, A.,</i> A Numerical Investigation into the Injury Potential of Three-year-old Children Seated in Forward Facing Child Safety Seats During Side Impact Crashes in Far Side Configurations.....	6-21
<i>Stahlschmidt, S., Keding, B., Franz, U., Hirth, A.,</i> BioRID II Dummy Model Development - Influence of Parameters in Validation and Consumer Tests	6-39
<i>Owen, G.,</i> Demand Driven Side Impact Restraint System Development Method	6-59

Session 7 – Optimization

<i>McLundie, B., Twelves, M., Howe, M.,</i> Pedestrian Hood Generation & Optimization Using Knowledge-Based Engineering	7-1
<i>Stander, N., Roux, W.,</i> New Features in LS-OPT® Version 3	7-9
<i>Magistrali, S., Perillo, M.,</i> Calibration and Experimental Validation of LS-DYNA Composite Material Models by Multi Objective Optimization Techniques	7-17
<i>Keer, T.,</i> An Assessment of the Robustness of the European Pedestrian Leg Impact Test Using LS-OPT and LS-DYNA.....	7-25

Seo, S.Y., Jeong, J.W., Cho, D.H., Kim, H.
A Study on a Multi-Disciplinary Optimization Method for the PMP7-27

Thiele, M., Mullerschön, H., van den Hove, M., Mlekusch, B.,
**Optimization of and Adaptive Restraint System Using LS-OPT and Visual
 Exploration of the Design Space Using D-SPEX7-35**

Session 8 – Simulation Technology (2)

Siebert, A., Blankenhorn, G., Schweizerhof, K.,
**Investigating the Vibration Behavior and Sound of Church Bells Considering
 Ornaments and Reliefs Using LS-DYNA8-1**

Grytten, F., Børvik, T., Hopperstad, O.S., Langseth M.,
**On the Quasi-Static Perforation Resistance of Circular AA5083-H116
 Aluminium Plates8-13**

Hua, J., Cheng, X., Shivpuri, R.,
Process Modeling of Piercing Micro-hole with High Pressure Water Beam8-23

Sinha, K.,
**A Simulation-Driven System Design Methodology with Manufacturing
 Constraints8-31**

Rentschler, M., Reid, J.D.,
LS-DYNA Simulation of *in vivo* Surgical Robot Mobility8-43

Shoukry, S.N., William, G.W., Riad, M.,
**Application of Dynamic Relaxation in Thermo-Elastic Structural Analysis of
 Highway Pavement Structures8-53**

Shi, Z., Zhu, G.,
**Thermal-Structure Coupling Simulation Analysis on Rolling Process
 of H-shape Steel8-61**

Session 9 – Impact Analysis (2)

Jackson, K.E., Fasanella, E.L., Lyle, K.H., Spellman, R.L.,
**A Mesh Refinement Study on the Impact Response of a Shuttle Leading-Edge
 Panel Finite Element Simulation9-1**

Raftenberg, M.N.,
**A Brittle Damage Model: Implementation into LS-DYNA and Application
 to Normal Plate-on-Plate Impact9-15**

Ryabov, A.A., Romanov, V.I., Kukanov, S.S., Skurikhin, S.G.,
**Numerical Simulations of Dynamic Deformation of Air Transport Package
 PAT-2 in Accidental Impacts9-43**

Kirkpatrick, S.W., Bocchieri, R.T., MacNeill, R.A., Peterson, B.D., Sadek, F.,
**Modeling Methodologies for Assessment of Aircraft Impact Damage to the
 World Trade Center Towers9-53**

Session 10 – Computing / Code Technology (2)

Posey, S., Considerations for LS-DYNA Workflow Efficiencies in an HPC Linux Environment.....	10-1
Prince, T., Ohara, H., Meng,N., LS-DYNA® Performance on 64-Bit Intel® Xeon® Processor-Based Clusters.....	10-9
Rustagi, P., Sharapov, I., Projecting Performance of LS-DYNA Implicit for Large Multiprocessor Systems.....	10-15

Session 11 - Crash/Safety (3)

Nutwell, E., Thomas, D., Material Model Development for Impact Strength Validation of a Composite Truck Bed Design	11-1
Thole,C.A., Iza-Teran, R., Lorentz, R., Schwamborn, H., Scatter Analysis of Crash Simulation Results Enabled by Data Compression....	11-11
Elitok,K., Guler,M.A., Bayram, B., Stelzmann, U., An Investigation on the Roll-Over Crashworthiness of an Intercity Coach, Influence of Seat Structure and Passenger Weight	11-17
Shetty, S.H., Ganesan, V., Nagesh, B.L., Duval, J.L., Productive Environment for Quick CAE Modeling and Simulation – Visual Environment.....	11-35
Liu, Y., Day, M.L., Development of Simplified Truck Chassis Model for Crashworthiness Analysis.....	11-43
El Houssini, S., Front Bumper Crashworthiness Optimization.....	11-57

Session 12 – Metal Forming (1)

Li, K., Hu, Y., MPP in Stamping Simulations with LS-DYNA	12-1
Tang, A., Lee, W., He, J., Chen, C.C., The Evolution of Sheet Metal Forming Simulation in Stamping Industry	12-3
Ren, F., Shen, Y., Xia, Z.C., Wynn, D.J., Ho, P., Prediction of Impact Marks for a Stamped Panel with LS-DYNA	12-15
Shapiro, A.B., LS-DYNA Features for Hot Stamping	12-17

Session 13 – Simulation Technology (3)

<i>Fyllingen, Ø., Hopperstad, O.S., Langseth, M.,</i> Simulations of Axially Loaded Straight Aluminium Profiles with Random Geometric Imperfections.....	13-1
<i>Xue, L., Wierzbicki, T.,</i> Verification of a New Fracture Criterion Using LS-DYNA.....	13-11
<i>Petrushina, M., Klambozki, S., Tchij, O.,</i> Thermomechanical Analysis of the Turbo-Compressor Sliding Bearing Mount Units.....	13-23
<i>Pan, F., Zhu, J., Helminen, A.O., Vatanparast, R.,</i> Three Point Bending Analysis of a Mobile Phone Using LS-DYNA Explicit Integration Method.....	13-31

Session 14 – Impact Analysis (3)

<i>Yang, H.M., Ju, R., Ouyang, H., Palmer, T.,</i> Process Automation for LS-DYNA Based Shock and Impact Studies (Drop Testing) in eta/VPG Environment.....	14-1
<i>Borovkov, A., Klyavin, O., Michailov, A., Kemppinen, M., Kajatsalo, M.,</i> Finite Element Modeling and Analysis of Crash Safe Composite Lighting Columns, Contact-Impact Problem	14-11
<i>Yaksh, M., Lin, S.A.,</i> Evaluation of the Impact Condition for a High Capacity Spent Nuclear Fuel System	14-21
<i>Fasanella, E.L., Boitnott, R.L., Kellas, S.</i> Test and Analysis Correlation of High Speed Impacts of Ice Cylinders	14-31

Session 15 – Material Modeling (1)

<i>Carney, K.S., Benson, D.J., Du Bois, P., Lee, R.,</i> A High Strain Rate Model with Failure for Ice in LS-DYNA	15-1
<i>Bergström, J.S., Bowden, A.E., Rimnac, C.M., Kurtz, S.M.,</i> Development and Implementation of an Advanced User Material Model for UHMWPE	15-17
<i>Benson, D.J., Kolling, S., Du Bois, P.A.,</i> A Simplified Approach for Strain-Rate Dependent Hyperelastic Materials with Damage.....	15-29
<i>Donadon, M.V., Iannucci, L.,</i> An Objectivity Algorithm for Strain Softening Material Models	15-43
<i>Kolling, S., Haufe, A., Feucht, M., Du Bois, P.A.,</i> A Constitutive Formulation for Polymers Subjected to High Strain Rates.....	15-55

Session 16 – Crash/Safety (4)

- Wang, H.P., Pan, Y.C., Cheng, Y.P.,*
Crashworthiness Simulation Using Coupled Meshfree/Finite Element Formulations in LS-DYNA16-1
- Heydari, C., Pawela, T., Palmer, T., Tang, A.,*
Flexible Body Suspension System Modeling and Simulation Using MD/NASTRAN SOL700 in VPG Environment.....16-13
- Wood, P.K.C., Schley, C. A., Kenny, S., Dutton, T., Bloomfield, M., Bardenheier, R., Smith, J.R.D.,*
Validating Performance of Automotive Materials at High Strain Rate for Improved Crash Design16-21
- McGregor, C., Vaziri, R., Poursartip, A., Xiao, X., Johnson, N.,*
Simulation of Progressive Damage Development in Braided Composite Tubes Undergoing Axial Crushing.....16-31

Session 17 – Metal Forming (2)

- L'Eplattenier, P., Cook, G., Ashcraft, C., Burger, M., Shapiro, A., Daehn, G., Seth, M.,*
Introduction of an Electromagnetism Module in LS-DYNA for Coupled Mechanical-Thermal-Electromagnetic Simulations.....17-1
- Lim, T., Dietrich, T.,*
Springback Predictions of the Numisheet 2005 Benchmark II Using DP600: The Effect of Using 21 Through Thickness Integration Points and Using a Static Implicit Finish to the Forming Simulation17-9
- Kuldiwar, A.A.,*
Finite Element Modeling of Strip Curvature During Hot Rolling.....17-23
- Lu, H.S., Wu, C.T.,*
A Grid-based Adaptive Scheme for the Three-Dimensional Forging and Extrusion Problems with the EFG Method.....17-33

Session 18 – Simulation Technology (4)

- Kojima, S., Yasuki, T.,*
Development of Aluminum Honeycomb Model Using Shell Elements18-1
- Borrvall, T.,*
A User-Defined Element Interface in LS-DYNA v971.....18-11
- Tho, C.H., Smith, M.R.,*
Bird Strike Simulation for BA609 Spinner and Rotor Controls.....18-21
- Akarca, S.S., Altenhof, W.J., Alpas, A.T.,*
A Coupled Thermal and Mechanical Model of Sliding Wear18-23

<i>Neumayer, D., Chatiri, M., Höermann, M.,</i> Drop Test Simulation of a Cooker Including Foam Packaging and Pre-stressed Plastic Foil Wrapping	18-33
<i>Iannucci, L., Donadon, M.,</i> Bird Strike Modeling Using a New Woven Glass Failure Model.....	18-41

Session 19 – Fluid / Structure

<i>Tutt, B.,</i> The Application of a New Material Porosity Algorithm for Parachute Analysis.....	19-1
<i>Wang, J. , Aquelet, N., Tutt, B., Do, I., Chen, H., Souli, M.,</i> Porous Euler-Lagrange Coupling: Application to Parachute Dynamics	19-11
<i>Zhang, N., Shi, L., Tzeng, B.,</i> Issues on Gas-Fabric Interaction in Airbag Simulation Using LS-DYNA ALE	19-23
<i>Zhang, Z.C., Cook, G.O.,</i> The New CE/SE Fluid Solver and Fluid/Structure Coupling	19-33
<i>Del Pin, F., Cook, G.O.,</i> Fluid Structure Interaction in LS-DYNA Using Lagrangian Interfaces, Automatic Re-meshing and Adaptivity	19-37

Session 20 – Material Modeling (2)

<i>Heimbs, S., Middendorf, P., Maier, M.,</i> Honeycomb Sandwich Material Modeling for Dynamic Simulations of Aircraft Interior Components	20-1
<i>Berstad, T., Hopperstad, O.S., Clausen, A.H., Ilstad, H., Melve, B.,</i> Implementation of Constitutive Model for Thermoplastics with Some Preliminary Results	20-15
<i>Murray, Y.D., Yeager, C.M.,</i> Mixed Mode Constitutive Driver	20-25
<i>Yoon, J.W., Dick, R.E.,</i> Implementations of User Defined Shell Elements and Material Models to LS-DYNA and Their Application	20-39
<i>Lobo, H.,</i> Advances in the Measurement and Modeling of Plastics for Impact Simulations	20-51

Common Session “*Computing Infrastructure*”

Sun Microsystems, Inc.
Penguin Computing
QLogic Corporation (Formerly PathScale)
Fujitsu
Advanced Micro Devices, Inc.
Hewlett-Packard Company
Microsoft Corporation
Engineering Technology Associates, Inc.
Silicon Graphics, Inc.
Intel Corporation

Final Session “*LS-DYNA Development*”

Dr. John O. Hallquist, LSTC

Closing Remarks

Dr. Wayne L. Mindle, LSTC

Keynote Speakers

Trends in Nonlinear Simulation

Dr. Ted Belytschko
Walter P. Murphy Professor
Northwestern University

LS-DYNA at GM – Current & Future

Mr. James W. Welton
Director
Global CAE Development and Integration
General Motors Corporation

Virtual Vehicle Development in HMC

Mr. Kwan-Hum Park
Director
Hyundai Motor Company

*A Constitutive Formulation for Polymers
Subjected to High Strain Rates*

Mr. Paul A. Du Bois
Consulting Engineer
